

Google scholar

tree * (transform OR transformation OR transfo

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar

Articles and patents

1985 -

2004

include citations

Results 21 - 30 of about 5,500. (0.33 sec)

[\[PDF\] The hB⁺ I^A I-tree: A Modified hB-tree Supporting Concurrency, Recovery and ...](#)[vidb.org \[PDF\]](#)

G Evangelidis, D Lomet, B Salzberg - PROCEEDINGS OF THE ..., 1995 - vidb.org

... These conditions simplify node consolidation and increase the degree of concurrency since only one **parent node** needs updating during a consolidation. ... We describe four important structural modifications of the hB-tree which **transform** it into the hBn-tree. ...

[Cited by 34](#) - [Related articles](#) - [View as HTML](#) - [BI Direct](#) - [All 4 versions](#)[Dynamic algorithm transforms for reconfigurable real-time audio coding processor](#)

A Petrovsky, A Petrovsky - Proc. of International ..., 2002 - doi.ieeecomputersociety.org

... Our approach is to design of dynamic algorithm **transform** (DAT) for design of application-specific reconfigurable processor ... Suppose, the required computation resource of i -th WP tree $(l, n) \in E$ is defined as ... $l+1, 2n+1$) is referred as a split (l, n) where l is a **transformation** scale level ...

[Cited by 3](#) - [Related articles](#) - [All 4 versions](#)[\[PDF\] Combining decision trees and transformation-based learning to correct ...](#)[psu.edu \[PDF\]](#)

S Corston-Oliver, M Gamon - MT Summit, 2003 - CiteSeer

... as well as additional multi-valued features (such as the governing preposition) on the node and the **parent node**. ... This corresponds to the rewrite part of a **transformation**. As an illustration, given the decision **tree** fragment in Figure 2, we would extract the transformations in Figure ...

[Cited by 10](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)[The hB⁺ Pi-Tree: A Concurrent and Recoverable Multi-Attribute Index Structure](#)[kfupm.edu.sa \[PDF\]](#)

G Evangelidis, D Lomet, B Salzberg - 1994 - eprints.kfupm.edu.sa

... These conditions simplify node consolidation and increase the degree of concurrency since only one **parent node** needs updating during a consolidation. ... modifications of the hB-tree which **transform** it to the hB -tree. 3.1.1 Side-pointers ...

[Cited by 8](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)[Mathematical formula recognition using virtual link network](#)[psu.edu \[PDF\]](#)

Y Eto, M Suzuki - Proc. ICDAR, 2001 - doi.ieeecomputersociety.org

... 4.1 **Transformation** into a search path problem ... The problem of selecting admissible spanning **trees** is thus **transformed** into a search path problem satisfying the corresponding conditions. ...

(In Figure 6, the edges R are the links from the root of the **tree** to the candidates in the node ...

[Cited by 54](#) - [Related articles](#) - [All 11 versions](#)

[\[PDF\] Rendering methods for iterated function systems](#)

[uni-konstanz.de](#) [PDF]

D Hepting, P Prusinkiewicz, D ... - Proc. IFIP Fractals, 1990 - informatik.uni-konstanz.de
... the criterion used in the above algorithm to decide when to stop descending in the **tree** of images ...
It uses the fact, that the contraction ratio $p(F)$ of the affine **transformation** $F(x \dots$ Iterating this equation
we obtain N The **transformed** measures $\mu_F^{\sim \wedge} \dots F \sim$ have unit mass and support $F \dots$

[Cited by 46](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] Iris identification system using tree-structured wavelet algorithm¹](#)

[u-tokyo.ac.jp](#) [PDF]

TR Mengko, A Ardianti, A ... - IAPR Workshop on ..., 2000 - b2.cvl.iis.u-tokyo.ac.jp
... With the **transformation**, we are able to zoom into any desired frequency channels for
further decomposition. ... 2) Classification phase Decompose an unknown texture with the
tree-structured wavelet transform and construct its energy map. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[An English-to-Korean machine translator: MATES/EK](#)

KS Choi, S Lee, H Kim, D Kim, C Kweon, ... - Proceedings of the 15th ..., 1994 - portal.acm.org
... an LSS which is relatively more specific to English, and then is **transformed** into ... We developed
more than 300 **tree transforming** rules that are written in grammar writing ... Using another **tree**
transformation grammar, the English specific dependency structure is trans- formed into a ...

[Cited by 11](#) - [Related articles](#)

[\[PDF\] Evaluating structural similarity in XML documents](#)

[psu.edu](#) [PDF]

A Nierman, HV Jagadish - Proc. 5th Int. Workshop on the Web and ..., 2002 - Citeseer
... T with $\lambda(T) = l$ and first- level subtrees T_1, \dots, T_m , the **tree transformation** operations are ... between
two objects is to consider alternative sequences of edit op- erations that can **transform** one object ...
similarly for each node in A . Given a source **tree** A and a destination **tree** B , we ...

[Cited by 267](#) - [Related articles](#) - [View as HTML](#) - [All 14 versions](#)

[Digital image coding with hybrid wavelet packet transform](#)

PY Huang, LW Chan - Lecture notes in computer science, 2001 - Springer
... then the HL, LH, and HH band according to the optimal hybrid wavelet packet **tree**. ... In priority
progressive transmission [S], the **transformed** coefficients are ordered by their magnitude in the ...
The wavelet-**transform** based coding algorithm such as EZW and SPIHT also follow this ...

[Cited by 4](#) - [Related articles](#) - [BI Direct](#) - [All 5 versions](#)



tree * (transform OR transformation OR transformed OR transforming) * ("parent node" OR "ancestor node")

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google